



Copy/paste from online chemical editors into MS Office

Akos Papp



 ChemAxon



Paste into MS Office



The screenshot shows a Microsoft Word document with a table of chemical data. The table has 10 columns and 15 rows. The first row contains the string "22 24 0 0 0 0 0 0 0 0999 V2000". The subsequent rows contain numerical values and chemical identifiers, such as "-1.8837 3.5812 0.0000 C 0.0 0 0 0 0 0 0 0 0 0". The text is formatted in a standard font, and the table is centered on the page.

22	24	0	0	0	0	0	0	0	0999 V2000
-1.8837	3.5812	0.0000	C	0.0	0	0	0	0	0 0 0 0 0 0 0 0
-1.8837	2.0812	0.0000	C	0.0	0	0	0	0	0 0 0 0 0 0 0 0
-3.1826	1.3312	0.0000	O	0.0	0	0	0	0	0 0 0 0 0 0 0 0
-0.5846	1.3312	0.0000	C	0.0	0	0	0	0	0 0 0 0 0 0 0 0
-0.5846	-0.1688	0.0000	C	0.0	0	0	0	0	0 0 0 0 0 0 0 0
-1.8837	-0.9187	0.0000	C	0.0	0	0	0	0	0 0 0 0 0 0 0 0
-1.8837	-2.4188	0.0000	C	0.0	0	0	0	0	0 0 0 0 0 0 0 0
-3.1826	-3.1688	0.0000	C	0.0	0	0	0	0	0 0 0 0 0 0 0 0
-4.4817	-2.4188	0.0000	C	0.0	0	0	0	0	0 0 0 0 0 0 0 0
-4.4817	-0.9187	0.0000	C	0.0	0	0	0	0	0 0 0 0 0 0 0 0
-3.1826	-0.1688	0.0000	C	0.0	0	0	0	0	0 0 0 0 0 0 0 0
0.7145	-0.9187	0.0000	C	0.0	0	0	0	0	0 0 0 0 0 0 0 0
2.0134	-0.1688	0.0000	C	0.0	0	0	0	0	0 0 0 0 0 0 0 0
2.0134	1.3312	0.0000	O	0.0	0	0	0	0	0 0 0 0 0 0 0 0
3.3125	-0.9187	0.0000	C	0.0	0	0	0	0	0 0 0 0 0 0 0 0




Using JChem for Office:

The screenshot shows the Marvin software interface. The main window displays a chemical structure of a substituted benzofuran derivative. The structure consists of a benzofuran core with a methyl group (CH₃) and a hydroxyl group (OH) attached to the benzene ring. The Marvin interface includes a menu bar (File, Edit, View, Insert, Atom, Bond, Structure, Calculations, Services, Help) and a toolbar with various chemical editing tools. On the right side, there is a vertical toolbar with a search bar and a list of chemical elements (H, C, N, O, S, F, P, Cl, Br, I). Below the main window, there is an "ID Assignment" dialog box with a "Type or Select Id:" field and "OK" and "Cancel" buttons.



JChem for Office Lite

Copy/paste from any major chemical editor, JS editors too



- No license needed for pasting into MS Office
- Structure is rendered by the most appropriate engine corresponding to the source molecule format
- Chemistry is stored with the image in the source format





JChem for Office Lite

The structure images are editable by double-click

- Default editor is Marvin, but other editors can be used
- OLE objects are converted on-the-fly with no need of external application

The image shows a chemical structure of a substituted imidazole ring system. The structure includes a phenyl ring attached to one of the nitrogen atoms of the imidazole ring. The other nitrogen atom is substituted with a methyl group (CH₃). The imidazole ring is also substituted with a methyl group (CH₃) and a sulfonamide group (-NH-CH₂-SO₂-OH). A context menu is open over the structure, listing various editing options. The 'JChem for Office' menu item is expanded, showing a list of editors with 'Marvin .NET' selected.

Editor	Status
Marvin .NET	Selected (checked)
ChemDraw 12	
ChemDraw 13	
ChemDraw 14	
ChemDraw 15	
ChemDraw 16	
ChemDraw 17	
ChemDraw 18	
ChemDraw 19	
ChemDraw 20	
SymyxDraw	
IsisDraw	



The background is a solid teal color. In the top right corner, there is a thin, light-colored line drawing of a stylized, flowing shape. In the bottom left corner, there is a purple outline of a jagged, irregular shape with several small, light blue horizontal dashes inside it.

Demo

Thank you.

Ákos Papp

apapp@chemaxon.com

